

## 第71回国民体育大会(希望郷いわて国体)




Oil Pattern Distance	42	Reverse Brush Drop	38	Oil Per Board	Multi ul
<b>Forward Oil Total</b>	19.33 mL	<b>Reverse Oil Total</b>	9.835 mL	<b>Volume Oil Total</b>	29.165 mL
<b>Tank Configuration</b>	N/A	<b>Tank A Conditioner</b>	ICE	<b>Tank B Conditioner</b>	FIRE

	START	STOP	LOADS	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	40	14	A	37	0.0	0.0	0.0	1480
2	3L	3R	5	40	14	A	175	0.0	9.9	9.9	7000
3	4L	4R	4	35	14	A	132	9.9	17.8	7.9	4620
4	5L	5R	3	35	18	A	93	17.8	25.4	7.6	3255
5	6L	6R	2	35	18	A	58	25.4	30.5	5.1	2030
6	7L	7R	1	35	18	A	27	30.5	33.0	2.5	945
7	2L	2R	0	40	22	A	0	33.0	42.0	9.0	0

	START	STOP	LOAD5	MIC5	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	40	26	A	0	42.0	36.0	-6.0	C
2	12L	12R	1	40	22	A	17	36.0	32.9	-3.1	680
3	11L	11R	1	40	22	Α	19	32.9	29.8	-3.1	760
4	10L	10R	1	40	22	A	21	29.8	26.7	-3.1	840
5	9L	9R	2	40	22	A	46	26.7	20.5	-6.2	1840
6	9L	9R	2	45	18	A	46	20.5	15.4	-5.1	2070
7	8L	8R	2	45	18	A	50	15.4	10.3	-5.1	2250
8	5L	5R	1	45	18	A	31	10.3	7.8	-2.5	1395
9	2L	2R	0	40	14	A	0	7.8	0.0	-7.8	C

Cleaner Ratio Main Mix NA
Cleaner Ratio Back End Mix NA
Cleaner Ratio Back End Distance NA
Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50

Forward Reverse Combined



3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R	
Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track	
2.13	1.12	1	1	1.12	2.13	
	Outside Track:Middle	Outside Track:Middle Middle Track:Middle	Outside Track:Middle Middle Track:Middle Inside Track:Middle	Outside Track:Middle Middle Track:Middle Inside Track:Middle MIddle: Inside Track	Outside Track:Middle Middle Track:Middle Inside Track:Middle MIddle:Inside Track Middle:Middle Track	

