




Oil Pattern Distance **Reverse Brush Drop** 38 Oil Per Board Multi ul **Forward Oil Total** 14.8 mL **Reverse Oil Total Volume Oil Total** 26.2 mL 11.4 mL **Tank Configuration Tank A Conditioner Tank B Conditioner** Only A infinity infinity

	START	STOP	LOAD5	MIC5	SPEED	CROSSED	START	END	FEET	T.OIL
1	3L	3R	2	50	14	70	0.0	1.9	1.9	3500
2	6L	6R	1	50	14	29	1.9	3.8	1.9	1450
3	7L	7R	3	50	18	81	3.8	11.4	7.6	4050
4	8L	8R	1	50	18	25	11.4	13.9	2.5	1250
5	10L	10R	1	50	18	21	13.9	16.4	2.5	1050
6	11L	11R	3	50	22	57	16.4	25.7	9.3	2850
7	14L	14R	1	50	22	13	25.7	28.8	3.1	650
8	2L	2R	0	50	26	0	28.8	42.0	13.2	0

3 12L 12R 2 50 22 34 34.4 28.2 -6.2 1700 4 10L 10R 1 50 22 21 28.2 25.1 -3.1 1050 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 3750 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 2700 7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	2 15L 15R 1 50 26 11 38.0 34.4 -3.6 55 3 12L 12R 2 50 22 34 34.4 28.2 -6.2 170 4 10L 10R 1 50 22 21 28.2 25.1 -3.1 105 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 375 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 270
3 12L 12R 2 50 22 34 34.4 28.2 -6.2 1700 4 10L 10R 1 50 22 21 28.2 25.1 -3.1 1050 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 3750 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 2700 7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	3 12L 12R 2 50 22 34 34.4 28.2 -6.2 170 4 10L 10R 1 50 22 21 28.2 25.1 -3.1 105 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 375 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 270
4 10L 10R 1 50 22 21 28.2 25.1 -3.1 1050 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 3750 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 2700 7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	4 10L 10R 1 50 22 21 28.2 25.1 -3.1 105 5 8L 8R 3 50 22 75 25.1 15.8 -9.3 375 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 270
5 BL 8R 3 50 22 75 25.1 15.8 -9.3 3750 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 2700 7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	5 8L 8R 3 50 22 75 25.1 15.8 -9.3 375 6 7L 7R 2 50 18 54 15.8 10.7 -5.1 270
6 7L 7R 2 50 18 54 15.8 10.7 -5.1 2700 7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	6 7L 7R 2 50 18 54 15.8 10.7 -5.1 270
7 4L 4R 1 50 18 33 10.7 8.2 -2.5 1650	
8 2L 2R 0 50 14 0 8.2 0.0 -8.2 0	7 4L 4K 1 50 18 33 10.7 8.2 -2.5 163
	8 2L 2R 0 50 14 0 8.2 0.0 -8.2

Cleaner Ratio Main Mix NA
Cleaner Ratio Back End Mix NA
Cleaner Ratio Back End Distance NA
Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
rack Zone Ratio	5.24	1.39	1,03	1.03	1,39	5.24
1500						
1050-						
900						
750 — 600 — 450 —						
750 						